Contents

Preface ix

Evolutionary aspects of diapause in Crustacea

Diapause, a potent force in the evolution of freshwater crustaceans
by G. Fryer 1–14

Types of diapause in Crustacea: definitions, distribution, evolution
by V.R. Alekseev & Y.I. Starabogatov 15–26

Distribution of crustacean diapause: micro- and macroevolutionary pattern and process
by N.G. Hairston, Jr. & C.E. Cáceres 27–44

Egg diapause and clonal structure in parthenogenetic populations of *Heterocypris incongruens* (Ostracoda)
by V. Rossi, A. Gandolfi & P. Menozzi 45–54

Influence of parthenogenetic reproduction on the genotypic constitution and evolutionary success of populations and species
by S.D. Grebelnyi 55–61

Physiology of diapause

Variation in torpidity of diapause in freshwater cyclopoid copepods
by K. Elgmork 63–70

Feeding and digestive activity of cyclopoid copepods in active diapause
by P.I. Krylov, V.R. Alekseev & O.A. Frenkel 71–79

On various types of antifreezes in active and resting stages of organisms
by V.V. Khlebovich 81–82

The susceptibility to loss of diapause capacity in hydrobionts of ephemeral waterbodies
by V.V. Khlebovich 83–84

Induction and termination of diapause

Diapause, quiescence, hatching requirements: what we can learn from large freshwater branchiopods (Crustacea: Branchiopoda: Anostraca, Notostraca, 'Conchostraca')
by L. Brendonck 85–97

The influence of processing and temperature conditions on hatching of resting eggs of *Streptocephalus proboscideus* (Crustacea: Branchiopoda: Anostraca)
by L. Brendonck, M.D. Centeno & G. Persoone 99–105

Significance of photoperiodism and diapause control in the multicycle Crustacean *Daphnia pulex* Leydig
by R.G. Stross 107–117

The problem of induction and termination of diapause in cyclopoid copepods
by V.I. Monchenko 119–122

Essentials of the environmental control of insect seasonality as reference points for comparative studies in other invertebrates
by V.A. Zaslavski 123–130

The nature of resting stages and their role in the population dynamics of marine and freshwater crustaceans

The resting eggs of the Ctenopoda (Crustacea: Branchiopoda): a review
by N.M. Korovchinsky & O.S. Boikova 131–140

Ecological and evolutionary significance of resting eggs in marine copepods: past, present and future studies
by N.H. Marcus 141–152

Copepod eggs survive a decade in the sediments of the Baltic Sea
by T. Katajisto 153–159

Benthic resting eggs of calanoid copepods in Norwegian enclosures used in mariculture: abundance, species composition and hatching
by T. Næss 161–168

Role of parthenogenetic natality and emergence from diapausing eggs in the dynamics of some rotifer populations
by E.A. Mnatsakanova & L.V. Polishuk 169–178

Diapause and crustacean life histories

The biology and morphology of the marine harpacticoid copepod *Heteropsyllus nunni* Coull, during encystment diapause
by J. Williams-Howze 179–189

Distribution and summer diapause of *Canthocamptus staphylinus* (Jurine) (Copepoda: Harpacticoida) in Lake Ladoga
by E.A. Kurashov 191–196

Diapause in the life cycle of *Calanoides carinatus* (Kroyer) (Copepoda: Calanoida)
by E.G. Arashkevich, A.V. Drits & A.G. Timonin 197–208

Growth and fecundity of *Daphnia* after diapause and their impact on the development of a population
by K. Arbačiauskas & Z.R. Gasiūnaitė 209–222

Variable life history of a cyclopoid copepod: the role of food availability
by A.-M. Hansen 223–227

Diapause of copepods as an element for stabilizing the parasite system of some fish helminths
by N.V. Evseeva 229–233

Ecology of diapausing copepodids of *Cyclops kolensis* Lill. in reservoirs of the Upper Volga
by I.R. Rivier 235–241